

$$K_1(1270)^- \quad m_0 = 1289.81 \pm 0.56 \pm 1.66 \text{ MeV}/c^2; \Gamma_0 = 116.11 \pm 1.65 \pm 2.96 \text{ MeV}/c^2$$

Partial Fractions [%]

$|g|$

$\arg(g)[^\circ]$

$\rho(770)^0 K^-$

$96.30 \pm 1.64 \pm 6.61$

$\rho(1450)^0 K^-$

$49.09 \pm 1.58 \pm 11.54$

$2.016 \pm 0.026 \pm 0.211$

$-119.5 \pm 0.9 \pm 2.3$

$\bar{K}^*(892)^0 \pi^-$

$27.08 \pm 0.64 \pm 2.82$

$0.388 \pm 0.007 \pm 0.033$

$-172.6 \pm 1.1 \pm 6.0$

$[K^- \pi^+]^{L=0} \pi^-$

$22.90 \pm 0.72 \pm 1.89$

$0.554 \pm 0.010 \pm 0.037$

$53.2 \pm 1.1 \pm 1.9$

$[\bar{K}^*(892)^0 \pi^-]^{L=2}$

$3.47 \pm 0.17 \pm 0.31$

$0.769 \pm 0.021 \pm 0.048$

$-19.3 \pm 1.6 \pm 6.7$

$\omega(782) [\pi^+ \pi^-] K^-$

$1.65 \pm 0.11 \pm 0.16$

$0.146 \pm 0.005 \pm 0.009$

$9.0 \pm 2.1 \pm 5.7$