

Parameter	$B^0 \rightarrow \bar{D}^0 \pi^+ \pi^-$	$B_{(s)}^0 \rightarrow \bar{D}^0 K^+ K^-$
m_0 [MeV/ c^2]	5282.0 ± 0.1	5282.6 ± 0.3
σ_1 [MeV/ c^2]	9.7 ± 1.0	fixed at 9.7
σ_2 [MeV/ c^2]	16.2 ± 0.8	fixed at 16.2
f_{CB}	0.3 ± 0.1	0.6 ± 0.1
$a_{\text{comb.}}$ [$10^{-3} \times (\text{MeV}/c^2)^{-1}$]	-3.2 ± 0.1	-1.3 ± 0.4
$N_{B^0 \rightarrow \bar{D}^0 h^+ h^-}$	$29\,943 \pm 243$	1918 ± 74
$N_{B_s^0 \rightarrow \bar{D}^0 h^+ h^-}$	—	473 ± 33
$N_{\text{comb.}}$	$20\,266 \pm 463$	1720 ± 231
$N_{B_s^0 \rightarrow \bar{D}^0 K^- \pi^+}$	923 ± 191	151 ± 47
$N_{B^0 \rightarrow \bar{D}^0 K^+ \pi^-}$	2450 ± 211	131 ± 65
$N_{\Lambda_b^0 \rightarrow D^0 p K^-}$ (constrained)	—	197 ± 44
$N_{\Xi_b^0 \rightarrow D^0 p K^-}$ (constrained)	—	57 ± 20
$N_{\Lambda_b^0 \rightarrow D^0 p \pi^-}$ (constrained)	1016 ± 136	74 ± 32
$N_{B_s^0 \rightarrow \bar{D}^{*0} K^- \pi^+}$	540 (fixed)	833 ± 185
$N_{B_s^0 \rightarrow \bar{D}^{*0} K^+ K^-}$	—	775 ± 100
$N_{B^0 \rightarrow \bar{D}^{*0} [\bar{D}^0 \gamma] \pi^+ \pi^-}$	7697 ± 325	—
$N_{\text{Low-}m}$	$14\,914 \pm 222$	1632 ± 68
χ^2/ndf (p -value)	$52/46$ (25%)	$43/46$ (60%)